

MP54 Smart Business Phone for Zoom

Based on Android 9 OS, MP54 is a **Zoom-tailored IP phone** with a 4-inch capacitive touch screen, which offers a faster response speed and a dedicated Zoom button. It facilitates high-quality collaboration with flexibility thanks to Yealink Optima HD voice, magnet handset and Bluetooth connectivity to Bluetooth headsets. This easy-to-use and reliable option is ideal for office workers. Moreover, MP54 gives you a rich expansion of features thanks to its Wi-Fi, Bluetooth and a USB port for headset.



4-inch Multi-touch Screen



Android 9.0



HAC



Gigabit



HD Audio



USB 2.0



Zoom UI



Key Features and Benefits

- Android 9.0
- Zoom User Interface
- 4 inch (800 x 480) Capacitive Touch Screen
- Magnet Handset
- Optimal HD audio, Yealink Noise Proof Technology
- Full-duplex hands-free speakerphone with AEC
- Bluetooth Headset via BT41
- Wi-Fi via WF50
- USB 2.0 port, Support USB Headset
- Dual-port Gigabit Ethernet, Support PoE
- Wall mountable
- Support Yealink/Zoom Device Management Platform

Simple User Interface, Optimal User Experience

MP54 is a Zoom-tailored IP phone with a 4-inch capacitive touch screen, offering a faster response speed, dedicated Zoom buttons, and easy-to-use interface. It facilitates high-quality collaboration with flexibility thanks to the one-click to join feature and integration with Exchange. This simple and reliable option is ideal for office workers.

Easier to be Heard and Involved in the Call

MP54 combines professional hardware and software technology to deliver crystal-clear voice communications.

Thanks to Yealink Optima HD voice and Noise Proof Technology, MP54 provides an excellent audio experience under different network and bandwidth, allowing users to concentrate on the content of a call. Moreover, Yealink HD voice refers to the combination of software and hardware design as well as the implementation of wideband technology to maximize the acoustic performance. Coupled with advanced acoustic clarity technology such as full duplex, echo cancellation, adaptive jitter buffer etc., MP54 provides comfortable, clearer, and more lifelike voice communications.






Efficient Provisioning and Management

MP54 is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralized deployment, management and updating. Moreover, MP54 supports two device management platforms, including Zoom (ZDM) and Yealink (YDMP) Device Management Platform.

Specifications

Specifications	Introduction
Audio Features	<ul style="list-style-type: none"> • HD voice: HD handset, HD speaker • Hearing aid compatible (HAC) handset, magnet handset • Yealink Noise Proof Technology • Full-duplex hands-free speakerphone with AEC • Audio codec: G.722, G.722.1, G.722.1C, G.711 (A/μ), G.723, G.726, G.729AB, ILBC • VAD, CNG, AEC, PLC, AJB, AGC
Call Handling Features	<ul style="list-style-type: none"> • Incoming/Outgoing P2P call • Cloud PSTN call • Call hold/Call mute/Call transfer/Call forward • Synchronized call logs • Visual voicemail
Conference Features	<ul style="list-style-type: none"> • Exchange Calendar Integration • Meeting controls (Mute/unmute, hold/resume, hang up, add/remove participant) • Meeting Details • Start meeting • Join meetings
Presence and Contacts	<ul style="list-style-type: none"> • Presence status control: available, busy, DND • Set status message • Corporate Directory Access
Phone Features	<ul style="list-style-type: none"> • Sign in with user credentials • Sign in via website • Time display • Phone lock/unlock • Emergency calls • Accessibility • Screensaver

<p>Display and Indicator</p>	<ul style="list-style-type: none"> • LCD screen - 4" 480×800capacitive touch screen - 5 points multi-touch surface • Zoom User Interface • Multi-language user interface • Full keyboard • LED for call and message waiting indication
<p>Interface</p>	<ul style="list-style-type: none"> • Dual-port Gigabit Ethernet • Power over Ethernet (IEEE 802.3af), class 3 • 1 x USB2.0 port - USB headsets - Bluetooth headset (Only with Dongle) - Wi-Fi (Only with Dongle) • 1 x RJ9 (4P4C) handset port • 1 x RJ9 (4P4C) headset port • 1 x Security lock slot
<p>Management</p>	<ul style="list-style-type: none"> • Configuration: Browser, Phone, Auto Provisioning and Device Management Platform • Provisioning priority management • Yealink Redirection and Provisioning Service (RPS) • QoE (Monitoring Reports) • Reset to factory, reboot • Package tracing export, system log • Screenshot via URL • View license status • Supports Zoom Device Management Platform • Supports Yealink Device Management Platform/Yealink Management Cloud Service (YDMP/YMCS)
<p>Network and Security</p>	<ul style="list-style-type: none"> • IPv4/IPv6/IPv4&IPv6 • IP Assignment: Static/DHCP • HTTPS web browser • Time and date synchronization using SNTP • Transport Layer Security (TLS)/ Secure Real-time Transport Protocol (SRTP) • HTTPS certificate manager • IPv6 support

<p>Other Physical Features</p>	<ul style="list-style-type: none"> • Color: Classic Grey • External Yealink AC adapter (optional): AC 100-240 V input and DC 5 V/2 A output • USB output currency: 5 V/500 mA • Power consumption (PSU): 1.7 W-5.3 W • Power consumption (PoE): 2.3 W-6.8 W • Dimension (W × D × H × T): 223 mm × 159 mm × 127 mm × 36 mm • Operating humidity: 10-95% • Operating temperature: -10-45°C (+14-113°F)
<p>Package Features</p>	<ul style="list-style-type: none"> • Package content: <ul style="list-style-type: none"> - Yealink MP54 IP Phones - Handset with handset cord: - Ethernet Cable (1.5m CAT5E UTP Cable) - Stand - Quick Start Guide - Power Adapter (Optional) • Qty/CTN: 5 PCS • N.W/CTN: 4.8 kg • G.W/CTN: 5.3 kg • Giftbox size: 249 mm × 179 mm × 103 mm • Carton Meas: 529 mm × 188 mm × 261 mm
<p>Compliance</p>	<div style="border: 1px solid black; padding: 10px; text-align: center;">  <p>CE  FC  </p> <p>ISO 9001  REACH</p> </div>

Connection

